

■ Crosswalk to ICD-10-CM Codes

Disorders are presented in the order in which they appear in the text. Each ICD-9-CM code is given first, followed by a slash (/) and the ICD-10-CM code.

DISORDERS USUALLY FIRST DIAGNOSED IN CHILDHOOD AND ADOLESCENCE *(see Chapter 2)*

Attention-Deficit / Hyperactivity Disorder

- 314.01 / F90.1 Attention-Deficit / Hyperactivity Disorder, Predominantly Hyperactive-Impulsive
- 314.00 / F90.0 Attention-Deficit / Hyperactivity Disorder, Predominantly Inattentive
- 314.01 / F90.2 Attention-Deficit / Hyperactivity Disorder, Combined
- 314.9 / F90.9 Unspecified Attention-Deficit / Hyperactivity Disorder

Conduct Disorder and Oppositional Defiant Disorder

- 312.81 / F91.1 Conduct Disorder, Childhood-Onset Type
- 312.82 / F91.2 Conduct Disorder, Adolescent-Onset Type
- 312.89 / F91.9 Conduct Disorder, Unspecified Type
- 313.81 / F91.3 Oppositional Defiant Disorder
- 312.9 / F91.9 Unspecified Disruptive Behavior Disorder

299.00 / F84.0 Autism Spectrum Disorder

309.21 / F93.0 Separation Anxiety Disorder

Intellectual Developmental Disorder

- 317 / F70 Mild
- 318.0 / F71 Moderate
- 318.1 / F72 Severe
- 318.2 / F73 Profound

From *Essentials of Psychiatric Diagnosis, Revised Edition*, by Allen Frances. Copyright 2013 by The Guilford Press. All rights reserved.

Specific Learning Disorder

315.00 / F81.0 Reading
 315.1 / F81.2 Mathematics
 315.2 / F81.81 Written Expression
 315.9 / F81.9 Unspecified

Feeding Disorders

307.52 / F98.3 Pica (in children)
 307.53 / F98.21 Rumination Disorder

Elimination Disorders

307.7 / F98.1 Encopresis
 307.6 / F98.0 Enuresis

DEPRESSIVE DISORDERS (see Chapter 3)**Major Depressive Disorder**

If Single Episode:

296.21 / F32.0 Major Depressive Disorder, Single Episode, Mild
 296.22 / F32.1 Major Depressive Disorder, Single Episode, Moderate
 296.23 / F32.2 Major Depressive Disorder, Single Episode, Severe Without Psychotic Features
 296.24 / F32.3 Major Depressive Disorder, Single Episode, Severe With Psychotic Features
 296.20 / F32.9 Major Depressive Disorder, Single Episode, Unspecified

If Recurrent:

296.31 / F33.0 Major Depressive Disorder, Recurrent, Mild
 296.32 / F33.1 Major Depressive Disorder, Recurrent, Moderate
 296.33 / F33.2 Major Depressive Disorder, Recurrent, Severe Without Psychotic Features
 296.34 / F33.3 Major Depressive Disorder, Recurrent, Severe With Psychotic Features
 296.30 / F33.9 Major Depressive Disorder, Recurrent, Unspecified

300.4 / F34.1 Persistent Depressive Disorder (Dysthymia)**625.4 / N94.3 Premenstrual Dysphoric Disorder****Substance-Induced Depressive Disorder**

The ICD-10-CM codes below are for Substance-Induced Depressive Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Depressive Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.24 If Alcohol-Induced
 292.84 / F15.24 If Amphetamine-Induced
 292.84 / F14.24 If Cocaine-Induced
 292.84 / F16.24 If Hallucinogen-Induced
 292.84 / F18.24 If Inhalant-Induced
 292.84 / F11.24 If Opioid-Induced
 292.84 / F16.24 If Phencyclidine-Induced

292.84 / F13.24 If Sedative, Hypnotic, or Anxiolytic-Induced
 292.84 / F19.24 If Other (or Unknown) Substance-Induced

Depressive Disorder Due to Another Medical Condition
(Indicate the Medical Condition)

293.83 / F06.31 With Depressive Features
 293.83 / F06.32 With Major Depressive-Like Episode
 293.83 / F06.34 With Mixed Features

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

311 / F32.9 Unspecified Depressive Disorder

296.90 / F39 Unspecified Mood Disorder

BIPOLAR DISORDERS (see Chapter 4)

Bipolar I Disorder

296.01 / F30.11 Bipolar I Disorder, Single Manic Episode, Mild
 296.02 / F30.12 Bipolar I Disorder, Single Manic Episode, Moderate
 296.03 / F30.13 Bipolar I Disorder, Single Manic Episode, Severe
 296.04 / F30.2 Bipolar I Disorder, Single Manic Episode, Severe With Psychotic Features
 296.05 / F30.3 Bipolar I Disorder, Single Manic Episode, In Partial Remission
 296.06 / F30.4 Bipolar I Disorder, Single Manic Episode, In Full Remission
 296.00 / F30.10 Bipolar I Disorder, Single Manic Episode, Unspecified

296.40 / F31.0 Bipolar I Disorder, Most Recent Episode Hypomanic
 296.41 / F31.11 Bipolar I Disorder, Most Recent Episode Manic, Mild
 296.42 / F31.12 Bipolar I Disorder, Most Recent Episode Manic, Moderate
 296.43 / F31.13 Bipolar I Disorder, Most Recent Episode Manic, Severe
 296.44 / F31.2 Bipolar I Disorder, Most Recent Episode Manic, Severe
 With Psychotic Features
 296.45 / F31.73 Bipolar I Disorder, Most Recent Episode Manic, In Partial Remission
 296.46 / F31.74 Bipolar I Disorder, Most Recent Episode Manic, In Full Remission
 296.40 / F31.10 Bipolar I Disorder, Most Recent Episode Manic, Unspecified

296.51 / F31.31 Bipolar I Disorder, Most Recent Episode Depressed, Mild
 296.52 / F31.32 Bipolar I Disorder, Most Recent Episode Depressed, Moderate
 296.53 / F31.4 Bipolar I Disorder, Most Recent Episode Depressed, Severe
 296.54 / F31.5 Bipolar I Disorder, Most Recent Episode Depressed, Severe
 With Psychotic Features
 296.55 / F31.75 Bipolar I Disorder, Most Recent Episode Depressed, In Partial Remission
 296.56 / F31.76 Bipolar I Disorder, Most Recent Episode Depressed, In Full Remission
 296.50 / F31.30 Bipolar I Disorder, Most Recent Episode Depressed, Unspecified

296.61 / F30.61 Bipolar I Disorder, Most Recent Episode Mixed, Mild
 296.62 / F30.62 Bipolar I Disorder, Most Recent Episode Mixed, Moderate
 296.63 / F30.63 Bipolar I Disorder, Most Recent Episode Mixed, Severe

296.64 / F30.64 Bipolar I Disorder, Most Recent Episode Mixed, Severe
With Psychotic Features

296.65 / F30.77 Bipolar I Disorder, Most Recent Episode Mixed, In Partial Remission

296.66 / F30.78 Bipolar I Disorder, Most Recent Episode Mixed, In Full Remission

296.60 / F30.60 Bipolar I Disorder, Most Recent Episode Mixed, Unspecified

296.7 / F31.9 Bipolar I Disorder, Most Recent Episode Unspecified

296.89 / F31.81 Bipolar II Disorder

301.13 / F34.0 Cyclothymic Disorder

Substance-Induced Bipolar Disorder

The ICD-10-CM codes below are for Substance-Induced Bipolar Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Bipolar Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.24 If Alcohol-Induced

292.84 / F15.24 If Amphetamine-Induced

292.84 / F14.24 If Cocaine-Induced

292.84 / F16.24 If Hallucinogen-Induced

292.84 / F11.24 If Opioid-Induced

292.84 / F16.24 If Phencyclidine-Induced

292.84 / F13.24 If Sedative, Hypnotic, or Anxiolytic-Induced

292.84 / F19.24 If Other (or Unknown) Substance-Induced

**Bipolar Disorder Due to Another Medical Condition
(Indicate the Medical Condition)**

293.83 / F06.33 With Manic Features

293.83 / F06.33 With Manic or Hypomanic-Like Episodes

293.83 / F06.34 With Mixed Features

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

296.80 / F31.9 Unspecified Bipolar Disorder

296.90 / F39 Unspecified Mood Disorder

ANXIETY DISORDERS (see Chapter 5)

Panic Disorder

300.21 / F40.01 Panic Disorder With Agoraphobia

300.01 / F41.0 Panic Disorder Without Agoraphobia

300.22 / F40.00 Agoraphobia

300.23 / F40.10 Social Anxiety Disorder (Social Phobia)

Specific Phobia

- 300.29 / F40.218 Animal
- 300.29 / F40.230 Blood–Injection–Injury, Fear of Blood
- 300.29 / F40.231 Blood–Injection–Injury, Fear of Injections and Transfusions
- 300.29 / F40.233 Blood–Injection–Injury, Fear of Injury
- 300.29 / F40.232 Blood–Injection–Injury, Fear of Other Medical Care
- 300.29 / F40.228 Natural Environment
- 300.29 / F40.248 Situational
- 300.29 / F40.298 Other

300.02 / F41.1 Generalized Anxiety Disorder**Substance-Induced Anxiety Disorder**

The ICD-10-CM codes below are for Substance-Induced Anxiety Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Anxiety Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

- 291.89 / F10.280 If Alcohol-Induced
- 292.89 / F15.280 If Amphetamine-Induced
- 292.89 / F15.280 If Caffeine-Induced
- 292.89 / F12.280 If Cannabis-Induced
- 292.89 / F14.280 If Cocaine-Induced
- 292.89 / F16.280 If Hallucinogen-Induced
- 292.89 / F18.280 If Inhalant-Induced
- 292.89 / F11.288 If Opioid-Induced
- 292.89 / F16.280 If Phencyclidine-Induced
- 292.89 / F13.280 If Sedative, Hypnotic, or Anxiolytic-Induced
- 292.89 / F19.280 If Other (or Unknown) Substance-Induced

**293.84 / F06.4 Anxiety Disorder Due to Another Medical Condition
(Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

300.00 / F41.9 Unspecified Anxiety Disorder**OBSESSIVE–COMPULSIVE AND RELATED DISORDERS**

(see Chapter 6)

300.3 / F42 Obsessive–Compulsive Disorder**300.7 / F45.22 Body Dysmorphic Disorder****300.3 / F42 Hoarding Disorder****Tic Disorders**

- 307.23 / F95.2 Tourette’s Disorder
- 307.22 / F95.1 Chronic Motor or Vocal Tic Disorder

307.21 / F95.0 Provisional Tic Disorder
 333.3 / G25.61 Substance-Induced Tic Disorder (Indicate Substance)
 333.3 / G25.69 Tic Disorder Due to Another Medical Condition
 (Indicate the Medical Condition)

The appropriate ICD-10-CM code for the medical condition should also be used. See the Resources for Codes page.

307.20 / F95.9 Unspecified Tic Disorder

312.39 / F63.3 Hair-Pulling Disorder (Trichotillomania)

Substance-Induced Obsessive–Compulsive and Related Disorder

The ICD-10-CM codes below are for Substance-Induced Obsessive–Compulsive and Related Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Obsessive–Compulsive and Related Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

292.89 / F15.288 If Amphetamine-Induced
 292.89 / F14.288 If Cocaine-Induced
 292.89 / F19.288 If Other (or Unknown) Substance-Induced

294.8 / F06.8 Obsessive–Compulsive and Related Disorder Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

300.00 / F42 Unspecified Obsessive–Compulsive and Related Disorder

TRAUMA- AND STRESSOR-RELATED DISORDERS (see Chapter 7)

309.81 / F43.10 Posttraumatic Stress Disorder

308.3 / F43.0 Acute Stress Disorder

Adjustment Disorder

309.0 / F43.21 Adjustment Disorder With Depressed Mood
 309.24 / F43.22 Adjustment Disorder With Anxiety
 309.28 / F43.23 Adjustment Disorder With Mixed Anxiety / Depressed Mood
 309.3 / F43.24 Adjustment Disorder With Conduct Disturbance
 309.4 / F43.25 Adjustment Disorder With Mixed Disturbance of Emotions and Conduct
 309.9 / F43.20 Unspecified Adjustment Disorder

309.89 / F43.8 Unspecified Trauma- and Stressor-Related Disorder

SCHIZOPHRENIA SPECTRUM AND OTHER PSYCHOTIC DISORDERS *(see Chapter 8)*

295.90 / F20.9 Schizophrenia

295.40 / F20.81 Schizophreniform Disorder

Schizoaffective Disorder

295.70 / F25.0 Bipolar Type

295.70 / F25.1 Depressive Type

297.1 / F22 Delusional Disorder

297.3 / F24 Shared Psychotic Disorder (Folie à Deux)

298.8 / F23 Brief Psychotic Disorder

Substance-Induced Psychotic Disorder

The ICD-10-CM codes below are for Substance-Induced Psychotic Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Psychotic Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.9 / F10.259 If Alcohol-Induced

292.9 / F15.259 If Amphetamine-Induced

292.9 / F12.259 If Cannabis-Induced

292.9 / F14.259 If Cocaine-Induced

292.9 / F16.259 If Hallucinogen-Induced

292.9 / F18.259 If Inhalant-Induced

292.9 / F11.259 If Opioid-Induced

292.9 / F16.259 If Phencyclidine-Induced

292.9 / F13.259 If Sedative, Hypnotic, or Anxiolytic-Induced

292.9 / F19.259 If Other (or Unknown) Substance-Induced

Psychotic Disorder Due to Another Medical Condition (Indicate the Medical Condition)

293.81 / F06.2 With Delusions

293.82 / F06.0 With Hallucinations

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

293.89 / F06.1 Catatonic Disorder Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

298.9 / F29 Unspecified Psychotic Disorder

SUBSTANCE-RELATED DISORDERS (see Chapter 9)**Substance Dependence**

- 303.90 / F10.20 Alcohol Dependence
- 304.40 / F15.20 Amphetamine Dependence
- 304.30 / F12.20 Cannabis Dependence
- 304.20 / F14.20 Cocaine Dependence
- 304.50 / F16.20 Hallucinogen Dependence
- 304.60 / F18.20 Inhalant Dependence
- 304.00 / F11.20 Opioid Dependence
- 304.60 / F16.20 Phencyclidine Dependence
- 304.10 / F13.20 Sedative, Hypnotic, or Anxiolytic Dependence
- 305.1 / F17.200 Tobacco Dependence
- 304.80 / F19.20 Polysubstance Dependence
- 304.90 / F19.20 Other (or Unknown) Substance Dependence (Indicate Substance If Known)

Substance Abuse

- 305.00 / F10.10 Alcohol Abuse
- 305.70 / F15.10 Amphetamine Abuse
- 305.20 / F12.10 Cannabis Abuse
- 305.60 / F14.10 Cocaine Abuse
- 305.30 / F16.10 Hallucinogen Abuse
- 305.90 / F18.10 Inhalant Abuse
- 305.50 / F11.10 Opioid Abuse
- 305.90 / F16.10 Phencyclidine Abuse
- 305.40 / F13.10 Sedative, Hypnotic, or Anxiolytic Abuse
- 305.90 / F19.10 Other (or Unknown) Substance Abuse (Indicate Substance If Known)

Substance Intoxication

Except for Caffeine Intoxication, the ICD-10-CM codes below are for Substance Intoxication “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance Intoxication “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

- 303.00 / F10.229 Alcohol Intoxication
- 292.89 / F15.229 Amphetamine Intoxication
- 305.90 / F15.929 Caffeine Intoxication
- 292.89 / F12.229 Cannabis Intoxication, Without Perceptual Disturbances
- 292.89 / F12.222 Cannabis Intoxication, With Perceptual Disturbances
- 292.89 / F14.229 Cocaine Intoxication
- 292.89 / F16.229 Hallucinogen Intoxication
- 292.89 / F18.229 Inhalant Intoxication
- 292.89 / F11.229 Opioid Intoxication
- 292.89 / F16.229 Phencyclidine Intoxication
- 292.89 / F13.229 Sedative, Hypnotic, or Anxiolytic Intoxication
- 292.89 / F19.229 Other (or Unknown) Substance Intoxication (Indicate Substance If Known)

Substance Withdrawal

Except for Caffeine Withdrawal, the ICD-10-CM codes below are for Substance Withdrawal “with moderate or severe use disorder” (i.e., Substance Dependence), since Substance Withdrawal cannot be coded “with mild use disorder” or “without use disorder” in these cases.

291.81 / F10.239 Alcohol Withdrawal, Without Perceptual Disturbances

291.81 / F10.232 Alcohol Withdrawal, With Perceptual Disturbances

292.0 / F15.23 Amphetamine Withdrawal

292.0 / F15.93 Caffeine Withdrawal

292.0 / F12.288 Cannabis Withdrawal

292.0 / F14.23 Cocaine Withdrawal

292.0 / F11.23 Opioid Withdrawal

292.0 / F13.239 Sedative, Hypnotic, or Anxiolytic Withdrawal,
Without Perceptual Disturbances

292.0 / F13.232 Sedative, Hypnotic, or Anxiolytic Withdrawal,
With Perceptual Disturbances

292.0 / F17.203 Tobacco Withdrawal

292.0 / F19.239 Other (or Unknown) Substance Withdrawal

Substance-Induced Mental Disorders

The listing below includes only the Substance-Induced Mental Disorders that are *not* listed with the other types of disorders in this Crosswalk (Depressive Disorders, Bipolar Disorders, etc.).

291.9 / F10.99 Unspecified Alcohol-Related Disorder

292.9 / F15.99 Unspecified Amphetamine-Related Disorder

292.9 / F15.99 Unspecified Caffeine-Related Disorder

292.9 / F12.99 Unspecified Cannabis-Related Disorder

292.9 / F14.99 Unspecified Cocaine-Related Disorder

292.9 / F16.99 Unspecified Hallucinogen-Related Disorder

292.9 / F18.99 Unspecified Inhalant-Related Disorder

292.9 / F11.99 Unspecified Opioid-Related Disorder

292.9 / F16.99 Unspecified Phencyclidine-Related Disorder

292.9 / F13.99 Unspecified Sedative, Hypnotic, or Anxiolytic-Related Disorder

292.9 / F17.209 Unspecified Tobacco-Related Disorder

292.9 / F19.99 Unspecified Other (or Unknown) Substance-Related Disorder

NEUROCOGNITIVE DISORDERS (see Chapter 10)**Delirium**

293.0 / F05 Delirium Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

Substance-Induced Delirium

Unless specified otherwise below, the ICD-10-CM codes below are to be used During Intoxication and “with moderate or severe use disorder” (i.e., Substance Dependence). For

ICD-10-CM codes for Substance-Induced Delirium During Intoxication “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.0 / F10.221 If Alcohol-Induced During Intoxication

291.0 / F10.231 If Alcohol-Induced During Withdrawal

292.81 / F15.221 If Amphetamine-Induced

292.81 / F12.221 If Cannabis-Induced

292.81 / F14.221 If Cocaine-Induced

292.81 / F16.221 If Hallucinogen-Induced

292.81 / F18.221 If Inhalant-Induced

292.81 / F11.221 If Opioid-Induced During Intoxication

292.0 / F11.23 If Opioid-Induced During Withdrawal

292.81 / F16.921 If Phencyclidine-Induced

292.81 / F13.221 If Sedative, Hypnotic, or Anxiolytic-Induced During Intoxication

292.81 / F13.231 If Sedative, Hypnotic, or Anxiolytic-Induced During Withdrawal

292.81 / F19.221 If Other (or Unknown) Substance-Induced During Intoxication

292.81 / F19.231 If Other (or Unknown) Substance-Induced During Withdrawal

780.09 / R41.0 Unspecified Delirium

Major Neurocognitive Disorder (Dementia)

The ICD-9-CM and ICD-10-CM codes below are the codes for “probable” (vs. “possible”) Dementia. And except for Substance-Induced Persisting Dementia, the appropriate code for the underlying medical condition should also be used. See the Resources for Codes page.

Dementia Due to Alzheimer’s Disease

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Vascular Dementia

290.40 / F01.51 With Behavioral Disturbance

290.40 / F01.50 Without Behavioral Disturbance

Dementia Due to Traumatic Brain Injury

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to Parkinson’s Disease

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to Lewy Body Disease

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to HIV Infection

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to Frontotemporal Lobar Degeneration

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to Huntington's Disease

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Dementia Due to Prion Disease

294.11 / F02.81 With Behavioral Disturbance

294.10 / F02.80 Without Behavioral Disturbance

Substance-Induced Persisting Dementia

The ICD-10-CM codes below are for Substance-Induced Persisting Dementia “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Persisting Dementia “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.2 / F10.27 If Alcohol-Induced, Nonamnesic–Confabulatory Type

291.2 / F10.26 If Alcohol-Induced, Amnesic–Confabulatory Type

292.82 / F13.27 If Sedative, Hypnotic, or Anxiolytic-Induced

292.82 / F18.27 If Inhalant-Induced

292.82 / F19.27 If Other (or Unknown) Substance-Induced

Mild Neurocognitive Disorder

The codes for Mild Neurocognitive Disorder diagnoses are not included here, since I do not recommend the use of this category in DSM-5. See the Caution box in Chapter 10.

294.8/R41.9 Unspecified Neurocognitive Disorder**PERSONALITY DISORDERS** (see Chapter 11)**301.83/F60.3 Borderline Personality Disorder****301.7/F60.2 Antisocial Personality Disorder****301.81/F60.81 Narcissistic Personality Disorder****301.50/F60.4 Histrionic Personality Disorder****301.4/F60.5 Obsessive–Compulsive Personality Disorder****301.82/F60.6 Avoidant Personality Disorder****301.6/F60.7 Dependent Personality Disorder****301.0/F60.0 Paranoid Personality Disorder****301.20/F60.1 Schizoid Personality Disorder****301.22/F21 Schizotypal Personality Disorder****310.1/F07.0 Personality Change Due to Another Medical Condition
(Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

301.9/F60.9 Unspecified Personality Disorder

IMPULSE CONTROL DISORDERS (see Chapter 12)**312.31 / F63.0 Pathological Gambling****312.34 / F63.81 Intermittent Explosive Disorder****312.33 / F63.1 Pyromania****312.32 / F63.2 Kleptomania****312.30 / F63.9 Unspecified Impulse Control Disorder****EATING DISORDERS** (see Chapter 13)**307.1 / F50.00 Anorexia Nervosa****307.51 / F50.2 Bulimia Nervosa****307.51 / F50.8 Binge-Eating Disorder**

See the Caution box in Chapter 13.

307.50 / F50.9 Unspecified Eating Disorder**SLEEP-WAKE DISORDERS** (see Chapter 14)**780.52 / G47.00 Insomnia Disorder**

The appropriate code for any associated mental disorder or medical condition should also be used. See the Resources for Codes page.

Circadian Rhythm Sleep-Wake Disorder

307.45 / G47.21 Delayed Sleep Phase Type

307.45 / G47.22 Advanced Sleep Phase Type

307.45 / G47.23 Irregular Sleep-Wake Type

307.45 / G47.24 Non-24-Hour Sleep-Wake Type

307.45 / G47.26 Shift Work Type

307.45 / G47.20 Unspecified Type

780.54 / G47.10 Hypersomnolence Disorder

The appropriate code for any associated mental disorder or medical condition should also be used. See the Resources for Codes page.

780.57 / G47.30 Unspecified Sleep Apnea

As noted in Chapter 14, I do not consider Sleep Apnea a mental disorder. For codes for other types of Sleep Apnea, see the Resources for Codes page.

Non-Rapid Eye Movement Sleep Arousal Disorder

307.46 / F51.3 Sleepwalking Type

307.46 / F51.4 Sleep Terror Type

307.47 / F51.5 Nightmare Disorder**327.42 / G47.52 Rapid Eye Movement Sleep Behavior Disorder**

Substance-Induced Sleep–Wake Disorder

The ICD-10-CM codes below are for Substance-Induced Sleep–Wake Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Sleep–Wake Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.82 / F10.282 If Alcohol-Induced
 292.85 / F15.282 If Amphetamine-Induced
 292.85 / F15.282 If Caffeine-Induced
 292.85 / F12.288 If Cannabis-Induced
 292.85 / F14.282 If Cocaine-Induced
 292.85 / F11.282 If Opioid-Induced
 292.85 / F13.282 If Sedative, Hypnotic, or Anxiolytic-Induced
 292.85 / F17.208 If Tobacco-Induced
 292.85 / F19.282 If Other (or Unknown) Substance-Induced

**327.01 / G47.01 Insomnia Due to Another Medical Condition
(Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

**327.14 / G47.14 Hypersomnia Due to Another Medical Condition
(Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

780.52 / G47.00 Unspecified Insomnia Disorder**780.54 / G47.10 Unspecified Hypersomnolence Disorder****780.59 / G47.9 Unspecified Sleep–Wake Disorder****SEXUAL AND GENDER ISSUES** (see Chapter 15)**Gender Dysphoria**

302.6 / F64.2 Gender Dysphoria in Children
 302.85 / F64.1 Gender Dysphoria in Adolescents or Adults

Sexual Dysfunctions

302.71 / F52.0 Male Hypoactive Sexual Desire Disorder
 302.72 / F52.21 Erectile Disorder
 302.75 / F52.4 Early Ejaculation
 302.74 / F52.32 Delayed Ejaculation
 302.72 / F52.22 Female Sexual Interest / Arousal Disorder
 302.73 / F52.31 Female Orgasmic Disorder
 302.76 / F52.6 Genito-Pelvic Pain / Penetration Disorder

Substance-Induced Sexual Dysfunction

The ICD-10-CM codes below are for Substance-Induced Sexual Dysfunction “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Sexual Dysfunction “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

- 291.89 / F10.281 If Alcohol-Induced
- 292.89 / F15.281 If Amphetamine-Induced
- 292.89 / F14.281 If Cocaine-Induced
- 292.89 / F11.281 If Opioid-Induced
- 292.89 / F13.281 If Sedative, Hypnotic, or Anxiolytic-Induced
- 292.89 / F19.281 If Other (or Unknown) Substance-Induced

Sexual Dysfunction Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

- 608.89 / N50.8 Male Hypoactive Sexual Desire Disorder Due to Another Medical Condition
- 607.84 / N52.9 Erectile Disorder Due to Another Medical Condition
- 625.8 / N94.89 Female Sexual Interest / Arousal Disorder Due to Another Medical Condition
- 625.0 / N94.1 Genito-Pelvic Pain / Penetration Disorder Due to Another Medical Condition
- 302.70 / F52.9 Unspecified Sexual Dysfunction

Paraphilic Disorders

- 302.2 / F65.4 Pedophilic Disorder
- 302.4 / F65.2 Exhibitionistic Disorder
- 302.82 / F65.3 Voyeuristic Disorder
- 302.89 / F65.81 Frotteuristic Disorder
- 302.84 / F65.52 Sexual Sadism Disorder
- 302.83 / F65.51 Sexual Masochism Disorder
- 302.81 / F65.0 Fetishistic Disorder
- 302.3 / F65.1 Transvestic Disorder
- 302.9 / F65.9 Unspecified Paraphilic Disorder

DISORDERS RELATED TO PHYSICAL SYMPTOMS (see Chapter 16)**300.82 / F45.1 Somatic Symptom Disorder**

See the Caution box in Chapter 16.

Conversion Disorder (Functional Neurological Symptom Disorder)

- 300.11 / F44.4 Conversion Disorder With Motor Symptoms
- 300.11 / F44.6 Conversion Disorder With Sensory Symptoms
- 300.11 / F44.5 Conversion Disorder With Seizures
- 300.11 / F44.7 Conversion Disorder With Mixed Presentation

316/F54 Psychological Factors Affecting Medical Condition**300.19/F68.10 Factitious Disorder****DISSOCIATIVE DISORDERS** (see Chapter 17)**300.14/F44.81 Dissociative Identity Disorder (Multiple Personality Disorder)**

See the Caution box on this diagnosis in Chapter 17.

300.12/F44.0 Dissociative Amnesia

See the Caution box on this diagnosis in Chapter 17.

300.6/F48.1 Depersonalization/Derealization Disorder**300.15/F44.9 Unspecified Dissociative Disorder****CODES FOR CONDITIONS THAT MAY BE A FOCUS OF CLINICAL ATTENTION BUT ARE NOT MENTAL DISORDERS****Relational Problems**

V61.20 / Z62.820 Parent–Child Relational Problem

V61.10 / Z63.0 Partner Relational Problem

V61.8 / Z62.891 Sibling Relational Problem

V62.81 / Z63.9 Unspecified Relational Problem

Problems Related to Abuse or Neglect

The following list reflects some condensation of the now very complex ICD-10-CM codes. For additional codes, see Resources for Codes.

V61.21 / Z69.010 Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for victim, parental abuse)

V61.21 / Z69.020 Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for victim, nonparental abuse)

V61.22 / Z69.011 Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for parental perpetrator)

V62.83 / Z69.021 Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for nonparental perpetrator)

995.54 / T74.12X Physical Abuse of Child (focus on confirmed event)

995.54 / T76.12X Physical Abuse of Child (focus on suspected event)

995.53 / T74.22X Sexual Abuse of Child (focus on confirmed event)

995.53 / T76.22X Sexual Abuse of Child (focus on suspected event)

995.52 / T74.02X Neglect of Child (focus on confirmed event)

995.52 / T76.02X Neglect of Child (focus on suspected event)

V61.11 / Z69.11 Physical Abuse or Sexual Abuse of Spouse / Partner (focus on counseling for victim)

V61.12 / Z69.12 Physical Abuse or Sexual Abuse of Spouse / Partner (focus on counseling for perpetrator)

V65.49 / Z69.81 Physical Abuse or Sexual Abuse of Nonpartner Adult (focus on counseling for victim)

V62.83 / Z69.82 Physical Abuse or Sexual Abuse of Nonpartner Adult (focus on counseling for perpetrator)
 995.81 / T74.11X Physical Abuse of Adult (focus on confirmed event)
 995.81 / T76.11X Physical Abuse of Adult (focus on suspected event)
 995.83 / T74.21X Sexual Abuse of Adult (focus on confirmed event)
 995.83 / T76.21X Sexual Abuse of Adult (focus on suspected event)

Medication-Induced Movement Disorders

332.1 / G21.11 Neuroleptic-Induced Parkinsonism
 332.1 / G21.19 Other Medication-Induced Parkinsonism
 333.92 / G21.0 Neuroleptic Malignant Syndrome
 333.72 / G24.02 Medication-Induced Acute Dystonia
 333.99 / G25.71 Medication-Induced Acute Akathisia
 333.85 / G24.01 Tardive Dyskinesia
 333.72 / G24.09 Tardive Dystonia
 333.99 / G25.71 Tardive Akathisia
 333.1 / G25.1 Medication-Induced Postural Tremor
 333.90 / G25.9 Unspecified Medication-Induced Movement Disorder

Other Problems

V15.81 / Z91.19 Noncompliance With Treatment
 V65.2 / Z76.5 Malingering
 V71.01 / Z72.811 Adult Antisocial Behavior
 V71.02 / Z72.810 Child or Adolescent Antisocial Behavior
 V62.89 / R41.83 Borderline Intellectual Functioning
 780.97 / R41.82 Age-Related Cognitive Decline
 V62.82 / Z63.4 Bereavement
 V62.3 / Z55.9 Academic Problem
 V62.29 / Z56.9 Occupational Problem
 V62.89 / Z71.81 Religious or Spiritual Problem
 V62.4 / Z60.3 Acculturation Problem
 V62.89 / Z60.0 Phase of Life Problem
 995.29 / T43.205 Antidepressant Discontinuation Syndrome
 995.20 / T50.905 Other Adverse Effect of Medication